

Completed by Labrat
1808480

Completed by PWS (or Agent)										Completed by San Antonio Testing Lab									
PWS Name		ConocoPhillips Kennedy Office								Laboratory Name		San Antonio Testing Lab							
PWS ID #		TX 1280018								ICOLab ID #		TX274							
PWS Address		3778 County RD 344 Kennedy TX 78119								Laboratory Address		1610 S. Laredo St. San Antonio TX 78207							
PWS Contact		Timothy L. Allen								Laboratory Contact		Sai Abbaru							
PWS Contact Phone #		830-583-1331								Laboratory Contact Phone		210-224-9920							
Inhibitor (e.g. Bismar Brown)		Phosphite		Silica		Calcium Carbonate		Laboratory Contact		Sai Abbaru		210-224-9920							
TREATMENT		Availability		Inhibitor Dosage Rate		Laboratory Contact		Laboratory Contact		Sai Abbaru		210-224-9920							
Sample Type (e.g. Sample Collection)		Compliance		Not Compliance		Sample Collection		Field Measurements		Placement		Original Sample Date		Lab Sample ID					
Sample Collection (e.g. Bismar Brown)		Compliance		Not Compliance		Sample Collection		Field Measurements		Placement		Original Sample Date		Lab Sample ID					
Temperature and pH (e.g. 100°F)		Y		N		Y		N		Y		N		Y					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C)		Original Sample Date		Lab Sample ID					
Sample ID (e.g. Bismar Brown)		Sample Location		Date		Time		pH		Temp (°C									