



11 February 2020


C0A6045

City of Rose City
Rose City, City of
370 S. Rose City Drive
Vidor, TX 77662

RE: Rose City WQP

Water Quality Parameters (WQP) Report


Enclosed, is your Water Quality Parameter (WQP) report with the necessary support data. Eastex Lab has reported your results to TCEQ in the following formats: 1. EDD of your data and 2. PDF of your report.



Here are your next actions:

1. Check your report for any errors, such as: Regulatory ID, site names. Please make sure all your sites are listed correctly.
2. Evaluate your WQP data for corrosivity and implement your plan.
3. Please retain all forms and reports from the lab for future field inspections.

If you have questions regarding any of the enclosed data, please call me at 936-653-3249. For compliance questions, please call TCEQ's WQP team at 512-239-4691.


Daniel Bowen
Operations Manager



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

Project: **Rose City WQP**
Laboratory Sample ID: **C0A6045-01**
Sampling Point: **DSTWQP**
Sample Location: **495 Westwood**
State Assigned ID: **DS01**

Sample Received Date and Time: 01/31/2020 14:20
Sample Date and Time: 01/31/2020 11:57
Sample Matrix: Potable
Sample Type: Grab
Collector: DCH

Analyte	Result	Units	Reporting Limits	MDL	Nelac Status	Batch	Analyzed	Analyst	Method	Notes
Eastex Environmental Laboratory - Coldspring										
pH	7.8	std unit			P	B0A4190	01/31/2020 11:57	DCH	SM 4500 H + B	
Temp	19	degrees C			P	B0A4190	01/31/2020 11:57	DCH	SM 2550	
Alkalinity	20	mg CaCO3/L	20	9	P	B0B0138	02/04/2020 12:15	KMW	SM 2320 B	
Calcium, Total	5.17	mg/L	0.500	0.0879	P	B0B0298	02/05/2020 12:29	LAN	EPA 200.7	
Chloride	21.3	mg/L	5.0	1.9	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
Conductivity	152.7	µmhos/cm @25C	10	0.3	A	B0B0556	02/05/2020 14:44	ACW	SM 2510 B	
Hardness	44.0	mg CaCO3/L	5.00	1.50	A	B0B1123	02/10/2020 15:45	KMW	SM 2340 C	
Iron, Total	<0.0500	mg/L	0.0500	0.00255	A	B0B0300	02/10/2020 12:33	LAN	EPA 200.7	
Manganese, Total	<0.0100	mg/L	0.0100	0.00310	A	B0B0300	02/10/2020 12:33	LAN	EPA 200.7	
Sodium, Total	21.3	mg/L	0.500	0.111	A	B0B0298	02/05/2020 12:29	LAN	EPA 200.7	
Sulfate	12.3	mg/L	4.0	2.0	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
TDS	100	mg/L	10.0	10.0	A	B0B0044	02/03/2020 16:46	ACW	SM 2540 C	



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

Project: **Rose City WQP**
Laboratory Sample ID: **C0A6045-02**
Sampling Point: **DSTWQP**
Sample Location: **23305 IH 10**
State Assigned ID: **DS01**

Sample Received Date and Time: 01/31/2020 14:20
Sample Date and Time: 01/31/2020 12:02
Sample Matrix: Potable
Sample Type: Grab
Collector: DCH

Analyte	Result	Units	Reporting Limits	MDL	Nelac Status	Batch	Analyzed	Analyst	Method	Notes
Eastex Environmental Laboratory - Coldspring										
pH	7.9	std unit			P	B0A4190	01/31/2020 12:02	DCH	SM 4500 H + B	
Temp	19	degrees C			P	B0A4190	01/31/2020 12:02	DCH	SM 2550	
Alkalinity	<20	mg CaCO3/L	20	9	P	B0B0138	02/04/2020 12:15	KMW	SM 2320 B	
Calcium, Total	5.22	mg/L	0.500	0.0879	P	B0B0298	02/05/2020 12:37	LAN	EPA 200.7	
Chloride	21.4	mg/L	5.0	1.9	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
Conductivity	149.3	µmhos/cm @25C	10	0.3	A	B0B0556	02/05/2020 14:44	ACW	SM 2510 B	
Hardness	15.0	mg CaCO3/L	5.00	1.50	A	B0B1123	02/10/2020 15:45	KMW	SM 2340 C	
Iron, Total	0.0554	mg/L	0.0500	0.00255	A	B0B0300	02/10/2020 12:52	LAN	EPA 200.7	
Manganese, Total	<0.0100	mg/L	0.0100	0.00310	A	B0B0300	02/10/2020 12:52	LAN	EPA 200.7	
Sodium, Total	21.7	mg/L	0.500	0.111	A	B0B0298	02/05/2020 12:37	LAN	EPA 200.7	
Sulfate	11.6	mg/L	4.0	2.0	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
TDS	116	mg/L	10.0	10.0	A	B0B0044	02/03/2020 16:46	ACW	SM 2540 C	



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

Project: **Rose City WQP**
Laboratory Sample ID: **C0A6045-03**
Sampling Point: **EWQP**
Sample Location: **370 S Rose City Dr**
State Assigned ID: **PBCU001**

Sample Received Date and Time: 01/31/2020 14:20
Sample Date and Time: 01/31/2020 11:47
Sample Matrix: Potable
Sample Type: Grab
Collector: DCH

Analyte	Result	Units	Reporting Limits	MDL	Nelac Status	Batch	Analyzed	Analyst	Method	Notes
Eastex Environmental Laboratory - Coldspring										
pH	8.0	std unit			P	B0A4190	01/31/2020 11:47	DCH	SM 4500 H + B	
Temp	20	degrees C			P	B0A4190	01/31/2020 11:47	DCH	SM 2550	
Alkalinity	<20	mg CaCO3/L	20	9	P	B0B0138	02/04/2020 12:15	KMW	SM 2320 B	
Calcium, Total	5.16	mg/L	0.500	0.0879	P	B0B0298	02/05/2020 12:40	LAN	EPA 200.7	
Chloride	23.5	mg/L	5.0	1.9	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
Conductivity	160.1	µmhos/cm @25C	10	0.3	A	B0B0556	02/05/2020 14:44	ACW	SM 2510 B	
Hardness	21.0	mg CaCO3/L	5.00	1.50	A	B0B1123	02/10/2020 15:45	KMW	SM 2340 C	
Iron, Total	<0.0500	mg/L	0.0500	0.00255	A	B0B0300	02/10/2020 12:57	LAN	EPA 200.7	
Manganese, Total	<0.0100	mg/L	0.0100	0.00310	A	B0B0300	02/10/2020 12:57	LAN	EPA 200.7	
Sodium, Total	22.3	mg/L	0.500	0.111	A	B0B0298	02/05/2020 12:40	LAN	EPA 200.7	
Sulfate	12.6	mg/L	4.0	2.0	A	B0B0108	02/03/2020 15:00	LAN	EPA 300.0	
TDS	72.0	mg/L	10.0	10.0	A	B0B0044	02/03/2020 16:46	ACW	SM 2540 C	25



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: PWS_TX1810139_AC_20200131_WQP Analysis Report

SM 2540 C - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B0044 - No Prep

Blank (B0B0044-BLK1)

Prepared & Analyzed: 02/03/20

TDS	ND	10.0	mg/L
-----	----	------	------

LCS (B0B0044-BS1)

Prepared & Analyzed: 02/03/20

TDS	272		mg/L	300	90.7	80-120
-----	-----	--	------	-----	------	--------

Duplicate (B0B0044-DUP1)

Source: C0A6045-01

Prepared & Analyzed: 02/03/20

TDS	92.0	10.0	mg/L	100		8.33	10	25
-----	------	------	------	-----	--	------	----	----

MRL Check (B0B0044-MRL1)

Prepared & Analyzed: 02/03/20

TDS	8.00		mg/L	10.0	80.0	70-130
-----	------	--	------	------	------	--------

Batch B0B0108 - No Prep

Blank (B0B0108-BLK1)

Prepared & Analyzed: 02/03/20

Chloride	ND	5.0	mg/L
----------	----	-----	------

Sulfate	ND	4.0	mg/L
---------	----	-----	------

LCS (B0B0108-BS1)

Prepared & Analyzed: 02/03/20

Chloride	25.0		mg/L	25.0	100	90-110
----------	------	--	------	------	-----	--------

Sulfate	19.5		mg/L	20.0	97.3	90-110
---------	------	--	------	------	------	--------

MRL Check (B0B0108-MRL1)

Prepared & Analyzed: 02/03/20

Chloride	4.94		mg/L	5.00	98.7	70-130
----------	------	--	------	------	------	--------

Sulfate	3.99		mg/L	4.00	99.7	70-130
---------	------	--	------	------	------	--------

Matrix Spike (B0B0108-MS1)

Source: C0A6045-01

Prepared & Analyzed: 02/03/20

Chloride	646	5.0	mg/L	625	21.3	100	80-120
----------	-----	-----	------	-----	------	-----	--------

Sulfate	499	4.0	mg/L	500	12.3	97.4	80-120
---------	-----	-----	------	-----	------	------	--------



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

EPA 300.0 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B0108 - No Prep

Matrix Spike Dup (B0B0108-MSD1)

Source: C0A6045-01

Prepared & Analyzed: 02/03/20

Chloride	647	5.0	mg/L	625	21.3	100	80-120	0.0687	20	
Sulfate	500	4.0	mg/L	500	12.3	97.5	80-120	0.149	20	

Batch B0B0138 - No Prep

Blank (B0B0138-BLK1)

Prepared & Analyzed: 02/04/20

Alkalinity	ND	20	mg CaCO3/L							
------------	----	----	------------	--	--	--	--	--	--	--

LCS (B0B0138-BS1)

Prepared & Analyzed: 02/04/20

Alkalinity	42		mg CaCO3/L	50.0		84.0	80-120			
------------	----	--	------------	------	--	------	--------	--	--	--

Duplicate (B0B0138-DUP1)

Source: C0A6045-01

Prepared & Analyzed: 02/04/20

Alkalinity	18	20	mg CaCO3/L		20			10.5	20	
------------	----	----	------------	--	----	--	--	------	----	--

MRL Check (B0B0138-MRL1)

Prepared & Analyzed: 02/04/20

Alkalinity	20		mg CaCO3/L	20.0		100	70-130			
------------	----	--	------------	------	--	-----	--------	--	--	--

Batch B0B0298 - EPA 200.7

Blank (B0B0298-BLK1)

Prepared: 02/04/20 Analyzed: 02/05/20

Calcium, Total	ND	0.500	mg/L							
Sodium, Total	ND	0.500	mg/L							

Blank (B0B0298-BLK2)

Prepared: 02/04/20 Analyzed: 02/05/20

Calcium, Total	ND	0.500	mg/L							
Sodium, Total	ND	0.500	mg/L							



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

EPA 200.7 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0B0298 - EPA 200.7										
Blank (B0B0298-BLK3)				Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	ND	0.500	mg/L							
Sodium, Total	ND	0.500	mg/L							
LCS (B0B0298-BS1)				Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	25.7	0.500	mg/L	25.0		103	85-115			
Sodium, Total	28.0	0.500	mg/L	25.0		112	85-115			
LCS (B0B0298-BS2)				Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	25.8	0.500	mg/L	25.0		103	85-115			
Sodium, Total	27.9	0.500	mg/L	25.0		112	85-115			
LCS (B0B0298-BS3)				Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	25.9	0.500	mg/L	25.0		103	85-115			
Sodium, Total	27.9	0.500	mg/L	25.0		112	85-115			
MRL Check (B0B0298-MRL1)				Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	0.499		mg/L	0.500		99.7	70-130			
Sodium, Total	0.477		mg/L	0.500		95.3	70-130			
Matrix Spike (B0B0298-MS1)		Source: C0A5725-03		Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	35.8	0.500	mg/L	25.0	10.2	102	70-130			
Sodium, Total	46.2	0.500	mg/L	25.0	19.8	106	70-130			
Matrix Spike (B0B0298-MS2)		Source: C0A6045-01		Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	31.3	0.500	mg/L	25.0	5.17	104	70-130			
Sodium, Total	47.8	0.500	mg/L	25.0	21.3	106	70-130			
Matrix Spike (B0B0298-MS3)		Source: C0A6067-02		Prepared: 02/04/20 Analyzed: 02/05/20						
Calcium, Total	51.6	0.500	mg/L	25.0	26.1	102	70-130			
Sodium, Total	87.6	0.500	mg/L	25.0	63.5	96.2	70-130			



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: PWS_TX1810139_AC_20200131_WQP Analysis Report

EPA 200.7 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B0298 - EPA 200.7

Matrix Spike Dup (B0B0298-MSD1)

Source: C0A5725-03

Prepared: 02/04/20 Analyzed: 02/05/20

Calcium, Total	36.4	0.500	mg/L	25.0	10.2	105	70-130	1.77	20	
Sodium, Total	47.4	0.500	mg/L	25.0	19.8	110	70-130	2.39	20	

Matrix Spike Dup (B0B0298-MSD2)

Source: C0A6045-01

Prepared: 02/04/20 Analyzed: 02/05/20

Calcium, Total	31.3	0.500	mg/L	25.0	5.17	104	70-130	0.0185	20	
Sodium, Total	48.3	0.500	mg/L	25.0	21.3	108	70-130	1.12	20	

Matrix Spike Dup (B0B0298-MSD3)

Source: C0A6067-02

Prepared: 02/04/20 Analyzed: 02/05/20

Calcium, Total	55.7	0.500	mg/L	25.0	26.1	118	70-130	7.61	20	
Sodium, Total	92.7	0.500	mg/L	25.0	63.5	117	70-130	5.72	20	

Batch B0B0300 - EPA 200.7

Blank (B0B0300-BLK1)

Prepared: 02/04/20 Analyzed: 02/10/20

Iron, Total	ND	0.0500	mg/L							
Manganese, Total	ND	0.0100	mg/L							

Blank (B0B0300-BLK2)

Prepared: 02/04/20 Analyzed: 02/10/20

Iron, Total	ND	0.0500	mg/L							
Manganese, Total	ND	0.0100	mg/L							

Blank (B0B0300-BLK3)

Prepared: 02/04/20 Analyzed: 02/10/20

Iron, Total	ND	0.0500	mg/L							
Manganese, Total	ND	0.0100	mg/L							

LCS (B0B0300-BS1)

Prepared: 02/04/20 Analyzed: 02/10/20

Iron, Total	0.237	0.0500	mg/L	0.250		94.8	85-115			
Manganese, Total	0.213	0.0100	mg/L	0.250		85.2	85-115			

Eastex Environmental Laboratory - Coldspring

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. Alkalinity titrated to pH 4.5 endpoint.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

WQP Report V.3 05162019

Print date and time: 2/11/2020 2:05:35PM

Page 7 of 11



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: PWS_TX1810139_AC_20200131_WQP Analysis Report

EPA 200.7 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B0B0300 - EPA 200.7										
LCS (B0B0300-BS2) Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.254	0.0500	mg/L	0.250		101	85-115			
Manganese, Total	0.240	0.0100	mg/L	0.250		96.1	85-115			
LCS (B0B0300-BS3) Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.246	0.0500	mg/L	0.250		98.5	85-115			
Manganese, Total	0.234	0.0100	mg/L	0.250		93.6	85-115			
MRL Check (B0B0300-MRL1) Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.0415		mg/L	0.0500		83.0	70-130			
Manganese, Total	0.0130		mg/L	0.0100		130	70-130			
Matrix Spike (B0B0300-MS1) Source: C0A5725-03 Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.240	0.0500	mg/L	0.250	0.00658	93.4	70-130			
Manganese, Total	0.213	0.0100	mg/L	0.250	ND	85.2	70-130			
Matrix Spike (B0B0300-MS2) Source: C0A6045-01 Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.301	0.0500	mg/L	0.250	0.0333	107	70-130			
Manganese, Total	0.245	0.0100	mg/L	0.250	ND	98.1	70-130			
Matrix Spike (B0B0300-MS3) Source: C0A6067-02 Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.338	0.0500	mg/L	0.250	0.0910	99.0	70-130			
Manganese, Total	0.263	0.0100	mg/L	0.250	0.0325	92.2	70-130			
Matrix Spike Dup (B0B0300-MSD1) Source: C0A5725-03 Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.242	0.0500	mg/L	0.250	0.00658	94.0	70-130	0.673	20	
Manganese, Total	0.216	0.0100	mg/L	0.250	ND	86.5	70-130	1.47	20	
Matrix Spike Dup (B0B0300-MSD2) Source: C0A6045-01 Prepared: 02/04/20 Analyzed: 02/10/20										
Iron, Total	0.286	0.0500	mg/L	0.250	0.0333	101	70-130	5.25	20	
Manganese, Total	0.240	0.0100	mg/L	0.250	ND	96.1	70-130	2.04	20	



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

EPA 200.7 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B0B0300 - EPA 200.7

Matrix Spike Dup (B0B0300-MSD3)

Source: C0A6067-02

Prepared: 02/04/20 Analyzed: 02/10/20

Iron, Total	0.342	0.0500	mg/L	0.250	0.0910	100	70-130	0.918	20	
Manganese, Total	0.265	0.0100	mg/L	0.250	0.0325	93.1	70-130	0.816	20	

Batch B0B0556 - No Prep

Blank (B0B0556-BLK1)

Prepared & Analyzed: 02/05/20

Conductivity	ND	10	µmhos/cm @25C							
--------------	----	----	---------------	--	--	--	--	--	--	--

LCS (B0B0556-BS1)

Prepared & Analyzed: 02/05/20

Conductivity	987		µmhos/cm @25C	1000		98.7	80-120			
--------------	-----	--	---------------	------	--	------	--------	--	--	--

Duplicate (B0B0556-DUP1)

Source: C0A6045-01

Prepared & Analyzed: 02/05/20

Conductivity	153.9	10	µmhos/cm @25C		152.7			0.783	20	
--------------	-------	----	---------------	--	-------	--	--	-------	----	--

Batch B0B1123 - No Prep

Blank (B0B1123-BLK1)

Prepared & Analyzed: 02/10/20

Hardness	ND	5.00	mg CaCO3/L							
----------	----	------	------------	--	--	--	--	--	--	--

LCS (B0B1123-BS1)

Prepared & Analyzed: 02/10/20

Hardness	100		mg CaCO3/L	100		100	80-120			
----------	-----	--	------------	-----	--	-----	--------	--	--	--

MRL Check (B0B1123-MRL1)

Prepared & Analyzed: 02/10/20

Hardness	5.00		mg CaCO3/L	5.00		100	70-130			
----------	------	--	------------	------	--	-----	--------	--	--	--

Matrix Spike (B0B1123-MS1)

Source: C0A6045-01

Prepared & Analyzed: 02/10/20

Hardness	500	5.00	mg CaCO3/L	500	44.0	91.2	80-120			
----------	-----	------	------------	-----	------	------	--------	--	--	--



P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

SM 2340 C - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B0B1123 - No Prep

Matrix Spike Dup (B0B1123-MSD1)

Source: **C0A6045-01**

Prepared & Analyzed: 02/10/20

Hardness	500	5.00	mg CaCO ₃ /L	500	44.0	91.2	80-120	0.00	20	
----------	-----	------	-------------------------	-----	------	------	--------	------	----	--



Rose City, City of
370 S. Rose City Drive
Vidor TX, 77662

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249



TCEQ Report ID: **PWS_TX1810139_AC_20200131_WQP Analysis Report**

Qualifiers and Notes

25 Residue not in the method range of 2.5-200 mg.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
WATER QUALITY PARAMETER MONITORING FORM 20679
CITY OF ROSE CITY
PWS Name:
PWS ID #: TX1810139
PWS Address: 370 S. ROSE CITY DRIVE VIDOR, TX 77662
PWS Contact: Randy
PWS Contact Phone #: 409-454-3982
Completed by PWS (or Agent):
Laboratory Name: Eastex Environmental Laboratory
TCEQ Lab ID #: TX203
Laboratory Address: PO Box 1089
Coldspring, Texas 77331
Laboratory Contact: Daniel Bowen
Laboratory Contact Phone #: 936-653-3249
Parameters Requested: Analyses are required for the parameters checked. * If inhibitors containing phosphate or silica are used, then these parameters should also be analyzed depending on which is in use.

EASTEX ENVIRONMENTAL LABORATORY, INC.

P.O. Box 1089 * Coldspring, TX 77331

P.O. Box 631375 * Nacadoches, TX 75963-1375

P.O. Box 631375 * Nacadoches, TX

(936) 653-3249 * (800) 525-0508

(936) 569-8879 * FAX (936) 569-8951

www.easylabs.com

White Copy-Follows Samples
Yellow Copy-Laboratory
Pink Copy-Client Copy

[illegible]